

DUET[®] Dual-Action Adulticide

Effective Date: 1 June 2015 v.01 Page 1 of 8

SECTION 1. Identification of the Substance/Mixture and of the Company

Product Identifier

Formulation Identifier:	DUET [®] Dual-Action Adulticide
EPA Registration Number:	1021-1795-8329

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant identified uses:	An insecticide for mosquito and vector control
Uses advised against:	See product label for use restrictions

Details of the Supplier

Clarke Mosquito Control Products, Inc. 675 Sidwell Court St. Charles, IL 60174 U.S.A. +1 (630) 894-2000 Email: Clarke@clarke.com

Emergency Telephone Number

24 Hour MEDICAL Emergency: SafetyCall®: (888) 740-8712 or (952) 852-9509 24 Hour TRANSPORTATION Emergency: CHEMTREC®: (800)-424-9300 International: (703) 527-3887

SECTION 2. Hazards identification

United States (US) According to OSHA 29 CFR 1910.1200 HCS

Classification of the Substance or Mixture

DANGER

Harmful if inhaled.

Acute Toxicity (Inhalation): Category 4 Aspiration Toxicity: Category 1 Pictogram:



Signal Word: Hazard Statements:

May be fatal if swallowed and enters airways.

Precautionary Statements:

PREVENTION:	Avoid breathing mist/vapors/spray. Use only outdoors or in well-ventilated area.
RESPONSE:	IF INHALED- Remove victim to fresh air and keep at rest in a position for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
	IF SWALLOWED: Immediately call a poison center/doctor. Do NOT induce vomiting.
STORAGE: DISPOSAL:	Store locked up in a well ventilated place. Keep container tightly closed. Dispose of contents/container to an approved waste disposal plant.

Other Hazards Not Classifiable Under OSHA 2012 HCS - Not applicable



DUET[®] Dual-Action Adulticide

Effective Date: 1 June 2015 v.01 Page 2 of 8

Comments:

This material is considered hazardous by the 2012 OSHA Hazard Communication Standard [29 CFR 1910.1200(a)(1), and the GHS

SECTION 3. Composition/Information on Ingredients

Components		
Substance Name	CAS No.	Concentration % w/w
ETOC® (Prallethrin)	23031-36-9	1.0
SUMITHRIN® (d-Phenothrin)	26002-80-2	5.0
Piperonyl Butoxide	51-03-6	5.0
Petroleum Distillates, hydrotreated light	64742-47-8	10-20 *
White Mineral Oil	8042-47-5	50-75 *

* The exact percentage (concentration) of composition has been withheld as trade secret.

Ingredients not identified are non-hazardous and/or are not required to be disclosed pursuant to 29 CFR 1910.1200 (2012), and are withheld as trade secret.

Description of First Aid Measures

Eye contact:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing. Call a poison control center/doctor for treatment advice.
Skin Contact:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Ingestion:	If swallowed, IMMEDIATELY call a poison control center or doctor for treatment advice. DO NOT give any liquid to the person. Do not induce vomiting unless told to do so by a poison control center or doctor. Never give anything by mouth to an unconscious person.
Inhalation:	Remove affected person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Indication of Immediate Medical Attention and Special Treatment

Notes to Physician: Contains Pyrethoids and Petroleum Distillates – vomiting may pose an aspiration hazard. For skin effects, a highly efficient therapeutic agent for Pyrethrin/Pyrethroid exposure is topical application of Tocopherol Acetate (Vitamin E).

SECTION 5. Fire-Fighting Measures

Extinguishing Media Suitable Extinguishing Media: Water Fog, Carbon Dioxide (CO₂), Dry Chemical, foam Unsuitable Extinguishing Media: Do not use water jet. Special Hazards Arising From the Substance or Mixture Specific Hazards: No information available. Explosion data: Sensitivity to Mechanical Impact: None Sensitivity to static discharge: Yes, use proper bonding and/or grounding procedures. Special Protective Equipment and Precautions for Fire-Fighters

Protection against fire: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Special Procedures: Treat as oil fire. Move container from fire area if it can be done without risk. Do not scatter spilled material with high-pressure water streams. Dike for later disposal. Use extinguishing agents



DUET[®] Dual-Action Adulticide

Effective Date: 1 June 2015 v.01 Page 3 of 8

appropriate for surrounding fire. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

SECTION 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures		
General Precautions:	Use appropriate protection (see section 8). Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment as required.	
Environmental Precautions:	Prevent product from entering into drains and waterways. Collect and dispose of this material and its container in accordance with national and regional regulations. If the product has contaminated surface water, inform the appropriate authorities.	
Methods and Material for Containment and Cleaning Up		
Methods for containment:	Prevent further leakage of spillage if safe to do so. Move containers from spill area.	
Small spill:	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.	
Large Spill:	Prevent entry into sewers, water courses, basements or confined areas. Dam up and soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.	

SECTION 7. Handling and Storage

Precautions for Safe Handling Protective measures:	Wear a long-sleeved shirt, long pants, shoes and socks. Take prudent precautions to avoid contact with skin, eyes, and clothing. Mechanical ventilation should be used when handling this product in enclosed spaces. Do not contaminate water, food or feedstuffs, by storage, handling, or by disposal.
Hygiene Measures:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for Opfo Storens Inc	drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Store in a cool, dry place. Keep container closed. Always store pesticides in the original container. Store away from food and pet food. Keep out of reach of children.

Electrostatic Accumulation Hazard: This product contains petroleum distillates for which there is potential for the accumulation of static electricity. Consideration should be given to bonding and grounding of equipment during loading, unloading, and transfer of this product.

SECTION 8. Exposure Controls / Personal Protection

These precautions are suggested for conditions where the potential for exposure exists. Emergency conditions may require additional precautions.

Control Parameters

Component Name	CAS No.	List	Туре	Value
ETOC® (Prallethrin)	23031-36-9	OSHA; ACGIH		None
SUMITHRIN® (d-Phenothrin)	026002-80	OSHA; ACGIH		None
Piperonyl Butoxide	51-03-6	OSHA; ACGIH		None
Petroleum Distilates	64742-47-8	OSHA & ACGIH	TLV/TWA (as oil-mist, if generated)	5 mg/m ³



DUET[®] Dual-Action Adulticide

Effective Date: 1 June 2015 v.01 Page 4 of 8

Mineral Oil	8042-47-5	OSHA & ACGIH	PEL / TLV, TWA (oil mist, mineral)	5 mg/m ³
Exposure controls				
Engineering Controls:	Use with adequate ver	tilation. Local exha	ust ventilation may be necessary for s	ome operations
Individual Protection Mea	asures, such as Personal	Protection Equipme	ent:	
Eye Protection:	Safety Glasses, Goggl	es or Face Shield.	Take prudent precautions to avoid con	tact with eyes.
Skin Protection:	Wear a long-sleeved s	hirt and long pants,	shoes and socks.	
Hand Protection:			ninimize skin contact. If required or plas latex, nitrile, or neoprene.	referred, use suitable
Respiratory Protection:	None required. If exp respiratory protection s		eeded or irritation is experienced, NIC	OSH/MSHA approved

SECTION 9. Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Appearance:	Clear, yellow-colored liquid
Color:	1.0 on Gardner Scale
Odor:	Solvent odor
Odor Threshold:	No information available
pH:	Not applicable. Product is not miscible in water
Melting Point:	No information available
Freezing Point:	No information available
Initial Boiling Point:	No information available
Flash Point:	>93.3°C (>200°F) (Tag Closed Cup)
Evaporation Rate:	No information available
Flammability:	No information available
Explosion limits [U/L]:	No information available
Vapor Pressure:	No information available
Vapor Density (Air =1):	Heavier than air
Relative Density:	No information available
Specific Gravity (Water = 1)	0.860 @ 20°C (68°F)
Solubility:	Immiscible
Partition Coefficient:	No information available
Auto-Ignition Temperature:	No information available
Viscosity:	18 cPs @ 22.0°C (71.6°F) Brookfield
Decomposition Temperature:	No information available
Explosive Properties:	No information available
Oxidizing Properties:	No information available
VOC Content (%):	<1.000%

SECTION 10. Stability and Reactivity

Reactivity No data available Chemical Stability



DUET[®] Dual-Action Adulticide

Effective Date: 1 June 2015 v.01 Page 5 of 8

Stable under recommended normal storage conditions

Possibility of Hazardous Reactions			
Hazardous Reactions:	None under normal conditions		
Hazardous Polymerization:	Hazardous polymerization does not occur		
Conditions to avoid	Extremes of temperature and direct sunlight		
Incompatible materials	Not compatible with strong acids and bases. Not compatible with oxidizing agents.		
Hazardous decomposition products			

Hazardous decomposition products

Carbon monoxide (CO), Carbon dioxide (CO₂)

SECTION 11. Toxicological information

Information on Likely Routes of Exposure

Routes of entry: Oral, Dermal, Inhalation May be fatal if swallowed and enters airways due to petroleum distillate. Vomiting may cause aspiration pneumonia.

Information on Toxicological Effects

Acute Toxicity / Effects

Assessment of acute toxicity: Slightly toxic after ingestion. Relatively non-toxic after short-term inhalation. Moderately toxic after short term skin contact. Some or all of the toxicity data reported is bridged from a substantially similar formula.

Oral, (Rat) LD ₅₀	>5,000 mg/kg	
Dermal, (Rabbit) LD ₅₀	>2,000 mg/kg	
Inhalation, Rat LC_{50}	>2.04 mg/l (4 hours)	
Skin Corrosion/Irritation:	Slight irritation at 72 hours. Irritation Index = 0.92	
Serious Eye Damage/Irritation:	Irritation clearing in 24 hours.	
Skin Sensitization:	Negative; Not considered to be a dermal sensitizer (Buehler).	
Conditions aggravated by exposur	re: None known	
Chronic Toxicity / Effects		
Assessment of repeated dose tox occur.	icity: No significant signs or symptoms indicative of any adverse health effects are expected to	
Germ Cell Mutagenicity	This product has not been tested. The statement has been derived from the properties of the individual components. No data is available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Not carcinogenic. This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.	
	Marginally higher incidences of benign liver tumors in mice were observed following lifetime high dose exposures to PBO. The significance of these observations is undetermined and under review. The doses at which tumors were observed for PBO greatly exceeded potential exposure from labeled uses.	
Reproductive Effects:	This product has not been tested. The statement has been derived from the properties of the individual components. No data is available to indicate product or any components present at greater than 0.1% produce a fertility impairing effect. No indication of a developmental toxic / teratogenic effect.	
STOT – Single exposure	Not classified	
STOT – Repeated exposure	Not classified	

SECTION 12. Ecological Information

Ecotoxicity:

Product specific data is not available. Data referenced is in relation to active ingredients, d-Phenothrin and PBO



DUET[®] Dual-Action Adulticide

Effective Date: 1 June 2015 v.01 Page 6 of 8

Toxicity to Fish:	c	d-Phenothrin 96-hr Acute LC ₅₀ 16.7 μg/L (rainbow trout), 15.8 μg/L (bluegill sunfish)		
	F	PBO: 96-hour Acute LC_{50} 6/12 ppm (rainbow trout) Prallethrin LC50 0.012 mg/L (rainbow trout)		
Toxicity to Aquatic Invertebrates:		d-Phenothrin 48-hr LC ₅₀ 4.4 μg/L <i>Daphnia magna</i> d-Phenothrin 48-hr LC ₅₀ 0.025 μg/L <i>Mysidopsis bahia</i> PBO: 96-hr LC ₅₀ 0.49 ppm, <i>Americamysis bahia</i> Prallethrin 48-hr EC ₅₀ 0.0062 mg/L <i>Daphnia</i>		
Toxicity to Plants:	1	No data available		
Persistence and Degradability				
Product specific data not	available. I	Data referenced is in relation to the active ingredients, d-Phenothrin and PBO		
Biodegradability:	Not readily biodegradable (by OECD criteria)			
		othrin: 592 (edible), 4,000 (non-edible)		
	PBO: 2, 1 Prallethrir	, 175 Irin: no data available		
Log Kow:	d-Phenotl			
	PBO: 4.98 Prallethrir	-		
Depuration:	d-Phenothrin, PBO: 2-4 days			
		othrin has low water solubility and binds tightly to soil. Based on these properties, d-phenothrin vely immobile in soil and its potential to contaminate groundwater is low.		
	PBO is no	ot very soluble in water and adheres moderately to soil with organic matter.		
		n is not very water soluble and adheres moderately with organic material. The hazard for n to move off the site of application with rain or irrigation is rated moderate.		

SECTION 13. Disposal Considerations

Waste Treatment and Disposal methods

Pesticide wastes are regulated. Consult product label for chemical substance and container disposal instructions. Avoid release to the environment. Improper disposal of excess product or rinsate is a violation of Federal law. If these wastes cannot be disposed or by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA regional office for guidance.

Container disposal: Rinse thoroughly in accordance with label instructions.

SECTION 14. Transport Information

DOT (US) Not regulated

IMDG (Vessel)

UN Number: UN3082 Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (d-PHENOTHRIN) Hazard Class: 9 Packing Group: III Marine Pollutant: Yes

ICAO/IATA (Air transport)

UN Number: UN3082 Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (d-PHENOTHRIN) Hazard Class: 9 Packing Group: III Marine Pollutant: Yes



DUET[®] Dual-Action Adulticide

Effective Date: 1 June 2015 v.01 Page 7 of 8

SECTION 15. Regulatory Information

FIFRA Information: This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information for safety data sheet, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Signal word: CAUTION KEEP OUT OF REACH OF CHILDEN

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION. Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

Personal Protective Equipment (PPE): Mixers, loaders, applicators, and other handlers must wear the following: long-sleeve shirt, long pants, shoes and socks. See engineering controls for additional requirements.

User safety requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

User Safety Recommendations: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside, then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

Engineering controls: Pilots must use an enclosed cockpit that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(6)]. Human flagging is prohibited. Flagging to support aerial applications is limited to use of the Global Positioning System (GPS) or mechanical flaggers.

FIRST AID

If swallowed:	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do	
	so by a poison control center or a doctor. Do not give any liquid to the person. Do not	
	anything by mouth to an unconscious person.	

Note to physician: Contains petroleum distillates. Vomiting may cause aspiration pneumonia.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents call 1-888-740-8712.

Other Federal Regulations

SARA TITLE III CLASSIFICATION

Section 302: None

Section 311/312: Immediate (acute) health hazard

This product contains the following chemicals subject to the reporting requirements of section 313 of Section 313: Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

CAS Number	Chemical Name	% by wt.
26002-80-2	d-phenothrin	5.0
51-03-6	piperonyl butoxide	5.0

CERCLA RQ: None

U.S. California Proposition 65: Not listed

STATE RIGHT-TO-KNOW : National, state, provincial or local emergency planning, community right-to-know or other laws, regulations or ordinances may be applicable--consult applicable national, state, provincial or local laws.

OSHA HAZARD COMMUNICATION STANDARD: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.



DUET[®] Dual-Action Adulticide

Effective Date: 1 June 2015 v.01 Page 8 of 8

SECTION 16. Other Information

DISCLAIMER OF LIABILITY: The information in this SDS was obtained from sources we believe to be reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared as is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

- NFPA Health Hazards 2 Flammability 1 Instability 0 Physical and Chemical Properties –
- HMIS Health Hazards 1 Flammability 1 Physical Hazards 0 Personal Protection X

[™] DUET is a Trademark of Clarke Mosquito Control Products, Inc.

- ® Sumithrin is a Registered Trademark of Sumitomo Company Ltd.
- ® ETOC is a Registered Trademark of Sumitomo Company Ltd.

End of document